



Wiring Devices

**Classy, Simplicity,
Luxurious modern,
European**



LSIS




Wiring Devices

Whoever, whenever, wherever...
LSIS always by your side



Socket (Outlet) Socket



Contents

Rectangle types	04
Rectangle types and ordering information	04
Switch	08
Socket	10
Water proof	11
Jack / CATV	12
Door bell	13
Floor socket	14
Heater water switch	15
Square types	18
Square types and ordering information	18
Switch	20
Doorbell switch	22
Heater water switch	23
Dimmer switch	24
Socket	25
Jack/CATV	26
Shaving socket	28
Water proof	29
LSLB	38

Rectangle types and ordering information

Switch

Body

LSV	S	B	1W	1	W	16
Brand	Item	Parts	Spec. 1	Spec. 2	Color	Rated current
LSIS	Switch	B Body	1W 1 way 2W 2 way	1 1 gang 2 2 gang 3 3 gang	W White	16

Plate

LSV	P	S	H	W
Brand	Parts	Spec.	Type	Color
LSIS	P Plate	S Standard	- Vertical H Horizontal	W White

Socket (Outlet)

Body

LSV	O	B	1	W	16
Brand	Item	Parts	Spec.	Color	Rated current
LSIS	Socket(Outlet)	B Body	1 1 gang 2 2 gang	W White	16

Plate

LSV	P	1	H	W
Brand	Parts	Spec.	Type	Color
LSIS	P Plate	1 1 gang S Standard	- Vertical H Horizontal	W White

Water proof

LSV	WP	C	W
Brand	Item	Spec.	Color
LSIS	Water proof	C Cover	W White

Jack/CATV

Body

Brand	Item	Parts	Spec.	Color
LSV	C	B	P	W
LSIS	Communication	Body	TEL	White
			T	
			N	
			TP	
			TN	
			PN	
			NN	
			TNP	

Plate

Brand	Parts	Spec.	Color
LSV	P	1	W
LSIS	Plate	S	White
		H	

Door bell

Brand	Item	Spec.	Color
LSV	DB	U	W
LSIS	Door bell set	European	White

Floor socket

Brand	Item	Parts	Spec.	Color
LSV	O	F	U	W
LSIS	Socket (Outlet)	Floor socket	European	White



Rectangle types and ordering information



Heater water switch

Body

LSV	S	H	1W	1	W	16
Brand	Item	Module	Spec. 1	Spec. 2	Color	Rated current
LSIS	Switch	H Heater water	1W 1 way	1 1 gang	W White	20 20A

Plate

LSV	P	1	W
Brand	Parts	Spec.	Color
LSIS	P Plate	1 1 gang	W White

Distribution boards

LSLB	1	09	AB	M
Brand	Type	Number of circuits	Window cover	Installation method
LSLB	1 Compact	9 9ea	A Transparent	- Flush mounting type
	2 Pretty	12 12ea	AB White opaque	M Surface mounting type
		16 16ea		
		20 20ea		
		24 24ea		
		32 32ea		
		36 36ea		
		40 40ea		
		48 48ea		
		60 60ea		

Module

Switch

LSV	S	M	1W	1	W	16
Brand	Item	Module	Spec. 1	Spec. 2	Color	Rated current
LSIS	Switch	M Module	1W 1 way	1 1 gang	W White	16
			2W 2 way	2 2 gang		
				3 3 gang		

LSV	O	M	2P	1	W	16
Brand	Item	Module	Pole	Spec.	Color	Rated current
LSIS	Socket(Outlet)	M Module	2P 2 Pole	1 1 gang	W White	16

LSV	O	M	3P	1	W	16
Brand	Item	Module	Pole	Spec.	Color	Rated current
LSIS	Socket(Outlet)	M Module	3P 3 Pole	1 1 gang	W White	16
				2 2 gang		

Dimmer

LSV	DI	M	F	25	W
Brand	Item	Parts	Spec. 1	Spec. 2	Color
LSIS	DI Dimmer	M 1/2 Module*	F Fan	25 AC 250W	W White
		SM 1/3 Small module	L Lighting	50 AC 500W	
			B Blank *Note		

Note) LSV-DIMBW (1/2 Blank module)

Jack/CATV

LSV	C	M	P	W
Brand	Item	Module	Spec.	Color
LSIS	Communication	M Module	P TEL	W White
			T TV	
			N PC	
			B Blank *Note	

Note) LSV-CMBW (1/2 Blank module)





Switch

- Rating : 16A, 250V
- Material : Polycarbonate
- Color : White
- Size : 70×120mm
- Connection by pin type



Connection by pin type

1 way switch series



1 gang 1 way switch

LSV-SB1W1W16
LSV-PSW
LSV-SM1W1W16



2 gang 1 way switch

LSV-SB1W2W16
LSV-PSW
LSV-SM2W1W16




3 gang 1 way switch

LSV-SB1W3W16
LSV-PSW
LSV-SM2W1W16



2 way switch series

- Rating : 16A, 250V
- Material : Polycarbonate
- Color : White
- Size : 70×120mm
- Connection by pin type



Connection by pin type



1 gang 2 way switch

LSV-SB2W1W16
LSV-PSW
LSV-SM2W1W16



2 gang 2 way switch

LSV-SB2W2W16
LSV-PSW
LSV-SM2W2W16



3 gang 2 way switch

LSV-SB2W3W16
LSV-PSW
LSV-SM2W3W16



Socket (Outlet)

- Rating : 16A, 250V
- Material : Polycarbonate
- Color : White
- Size : 70×120mm
- Connection by pin type
- Safety pin



Connection by screw type (1 gang)

1 way switch series



1 gang socket (Outlet)
LSV-OB1W16
LSV-P1W
LSV-OM3P1W16



2 gang socket (Outlet)
LSV-OB2W16
LSV-PSW
LSV-OM3P2W16



2 gang socket (Outlet)
LSV-ASW
LSV-OM2P1W16



3 gang socket (Outlet)
LSV-ASW
LSV-OM2P1W16



Water proof

- Rating : 16A, 250V
- Material : Polycarbonate
- Color : White
- Size : 86×155mm



Connection by screw (2 gang)

Water proof series



Water proof socket
LSV-WPCW



LSV-WPCW
LSV-OB1W16
LSV-P1W



LSV-WPCW
LSV-OB2W16
LSV-PSW



Jack / CATV

- TV socket : High speed 1G
- TEL socket : RJ11 CAT 5E
- Computer socket : RJ45 CAT 6
- Material : Polycarbonate
- Color : White
- Size : 70×120mm



TEL socket
LSV-CBPW
LSV-PSW



CATV unit
LSV-CBTW
LSV-PSW



TV & TEL socket
LSV-CBTW
LSV-CBTPW
LSV-PSW



TEL & Computer socket
LSV-CBPNW
LSV-PSW



TV & TEL & Computer socket
LSV-CBTPNW
LSV-PSW



Door bell

- Material : Polycarbonate
- Color : White
- Size : 86×86mm
- Connection by screw type



Connection by screw type




Door bell switch
LSV-DBUW



Floor socket


- Panel dimension : 120×120mm
- Panel material : Brass alloy
- Finishing : Polishing
- Interface size : 3 Modules
- Bracket material : Zinc alloy
- Basebox material : Steel+Zinc patted



LSV-0FUW



Available sockets

				
Socket LSV-OM3P2W16	Blank LSV-CMBW	TV LSV-CMTW	Tel LSV-CMPW	PC LSV-CMNW



Heater water switch

- Rating : 20A, 250V(LAMP)
- Material : Polycarbonate
- Color : White
- Size : 70×120mm
- Connection by screw type




Heater water switch
LSV-SH1W1W20
LSV-P1W

Dimension


Switch

Unit (mm)




Socket (Outlet)

Unit (mm)




Water proof

Unit (mm)




Jack / CATV

Unit (mm)




Door bell

Unit (mm)




Floor socket

Unit (mm)



Heater water switch

Unit (mm)



Square types and ordering information

Switch

LSV	S	C	1W	1	W	16	Q
Brand	Item	Parts	Spec. 1	Spec. 2	Color	Rated current	Type
LSIS	Switch	C Complete	1W 1 way 2W 2 way	1 1 gang 2 2 gang 3 3 gang 4 4 gang	W White S Silver	16 45	Q Square

* 3, 4 gang switches have only 1 way
ex) LSV-SC1W3W16Q, LSVSC1W4W16Q

Doorbell switch

LSV	DB	U	W	Q
Brand	Item	Spec.	Color	Type
LSIS	Door bell set	U European	W White S Silver	Q Square

Heater water switch

LSV	S	H	1W	1	W	20	Q
Brand	Item	Module	Spec. 1	Spec. 2	Color	Rated current	Type
LSIS	Switch	H Heater water	1W 1 way	1 1 gang	W White S Silver	20 20A	Q Square

Dimmer switch

LSV	DI	C	F	50	W	Q
Brand	Item	Parts	Spec. 1	Spec. 2	Color	Type
LSIS	DI Dimmer	C Complete	F Fan L Lighting	50 AC 500W	W White S Silver	Q Square

※ If you want silver, select Color 'S' (ex: LSV-SC1W1S16Q).

Socket

LSV	0	C	3P	1	W	16	S
Brand	Item	Parts	Pole	gang	Color	Rated current	Switch
LSIS	Socket(Outlet)	C Complete	2 2 Pole	- -	W White	16	- -
			3 3 Pole	1 1 gang	S Silver		S With switch
			3D 3 Pole Double	2 2 gang			S Switch+USB



Jack/CATV

LSV	C	C	P	W	Q
Brand	Item	Parts	Spec.	Color	Type
LSIS	Communication	C Complete	P TEL PN TEL+PC	W White	Q Square
			T TV NN PC+PC	S Silver	
			N PC TN TV+PC		
			S Satellite TP TV+TEL		
			TS TV+Satellite		



Shaving socket

LSV	0	S	U	W
Brand	Item	Spec.	Spec.	Color
LSIS	Socket (outlet)	S Shaving	U European	W White
				S Silver



Water proof

LSV	TP	C	W	Q
Brand	Item	Spec.	Color	Type
LSIS	TP Water proof (Thin)	C Cover	W White	Q Square
			S Silver	



BLANK

LSV	P	1	W	Q
Brand	Item	Spec.	Color	Type
LSIS	Blank plate	1 1Gang	W White	Q Square
			S Silver	





Switch

- Rating : 16A, 250V
- Color : White
- Size : 86×86mm



Connection by screw type

1 way switch series



1 gang 1 way switch
LSV-SC1W1W16Q



2 gang 1 way switch
LSV-SC1W2W16Q



3 gang 1 way switch
LSV-SC1W3W16Q



4 gang 1 way switch
LSV-SC1W4W16Q



2 way switch series

- Rating : 16A, 250V
- Color : White
- Size : 86×86mm



Connection by screw type



1 gang 2 way switch
LSV-SC2W1W16Q



2 gang 2 way switch
LSV-SC2W2W16Q



Doorbell switch

- Rating : 16A, 250V
- Color : White
- Size : 86×86mm



Connection by screw type



Doorbell switch
LSV-DBUWQ



Heater water switch

- Rating : 20A, 250V / 45A, 250V (LAMP)
- Color : White
- Size : 86×86mm



Connection by screw type



Connection by screw type



20A Heater water switch
LSV-SH1W1W20Q



Heater water switch
LSV-SC1W1W45Q



Dimmer switch

- Rating : 500W, 250V
- Color : White
- Size : 86×86mm



Dimmer light switch
LSV-DICL50WQ



Dimmer fan switch
LSV-DICF50WQ



Socket

- Rating : 16A, 250V
- Color : White
- Size : 86×86mm



Connection by screw type

1 gang socket series



1 gang multi socket with switch
LSV-OC3P1W16S



1 gang multi socket
LSV-OC3P1W16



1 gang socket with switch+USB
LSV-OC3P1W16SU

2 gang Socket



2 gang 2 pole socket
LSV-OC2P2W16



Double 3Pole socket
LSV-OC3DW16



Jack/CATV

- Color : White
- Size : 86×86mm



Telephone socket
LSV-CCPWQ



TV socket
LSV-CCTWQ



Computer socket
LSV-CCNWQ



Satellite socket
LSV-CCSWQ



- Color : White
- Size : 86×86mm



Computer+TEL socket
LSV-CCPNWQ



Computer+Computer socket
LSV-CCNNWQ



TV+Computer socket
LSV-CCTNWQ



TV+Telephone socket
LSV-CCTPWQ



TV+Satellite socket
LSV-CCTSWQ



Shaving socket

- Rating : 110V / 250V
- Color : White
- Size : 86×86mm



Shaving socket
LSV-0SUW



Water proof

- Material : Polycarbonate
- Color : White

Water proof cover




Water proof cover
LSV-TPCW

Dimension


Switch outlets

Unit (mm)


1 gang 1 way switch




2 Gang 1 way switch




3 gang 1 way switch




4 gang 1 way switch



1 gang 2 way switch




2 gang 2 way switch




Unit (mm)


1 gang doorbell switch




20A heater water switch



Heater water switch



1 gang dimmer switch




Dimension


Socket outlets

Unit (mm)


1 gang multi socket with switch




1 gang multi socket




1gang socket with switch+USB




2 Gang 2 pole socket




Double 3Pole socket




1 Gang telephone socket




1 Gang TV socket




1 Gang computer socket



1 gang satellite socket



Computer+TEL socket




Dimension


Socket outlets

Unit (mm)


Computer+Computer socket




TV+Computer socket




TV+Telephone socket




TV+Satellite socket




Shaving socket



Water proof cover



Blank plate



Order code




No.	Products	Type	Description	Code
1	Switch	LSV-SB	LSV-SB1W1W16(Switch)	0642000115
2			LSV-SB1W2W16(Switch)	0642000215
3			LSV-SB1W3W16(Switch)	0642000315
4			LSV-SB2W1W16(Switch)	0642000415
5			LSV-SB2W2W16(Switch)	0642000515
6			LSV-SB2W3W16(Switch)	0642000615
7		LSV-SA	LSV-ASW(Switch_Module plate)	0642000815
8		LSV-SM	LSV-SM1W1W16(Switch_Module)	0642000915
9			LSV-SM1W2W16(Switch_Module)	0642001015
10			LSV-SM1W3W16(Switch_Module)	0642001115
11			LSV-SM2W1W16(Switch_Module)	0642001215
12			LSV-SM2W2W16(Switch_Module)	0642001315
13			LSV-SM2W3W16(Switch_Module)	0642001415
14		LSV-SC	LSV-SC1W1W16Q(Switch_Complete)	0642003215
15			LSV-SC1W2W16Q(Switch_Complete)	0642003315
16			LSV-SC1W3W16Q(Switch_Complete)	0642003415
17			LSV-SC1W4W16Q(Switch_Complete)	0642003515
18			LSV-SC2W1W16Q(Switch_Complete)	0642003615
19			LSV-SC2W2W16Q(Switch_Complete)	0642003715
20		LSV-DIM	LSV-DIML25W(Switch_Dimmer)	0642001515
21			LSV-DIML50W(Switch_Dimmer)	0642001615
22			LSV-DIMF25W(Switch_Dimmer)	0642001715
23			LSV-DIMF50W(Switch_Dimmer)	0642001815
24			LSV-DIMBW(Switch_Dimmer blank module) Note.1	0642002015
25			LSV-DISML25W(SWITCH_DIMMER)	0642002815
26			LSV-DISML50W(SWITCH_DIMMER)	0642002915
27			LSV-DISMF25W(Switch_Dimmer)	0642003015
28			LSV-DISMF50W(Switch_Dimmer)	0642003115
29		LSV-DIC	LSV-DICF50WQ(Switch_Dimmer_Complete)	0642003815
30			LSV-DICL50WQ(Switch_Dimmer_Complete)	0642003915
31		LSV-SH	LSV-SH1W1W20(Switch_Heater water)	0642001915
32			LSV-SH1W1W20Q(Switch_Heater Water Ccomplete)	0642004015
33	Socket	LSV-OB	LSV-OB1W16(Socket)	0643000115
34			LSV-OB2W16(Socket)	0643000215
35		LSV-OP	LSV-P1W(Plate)	0643000315
36			LSV-PSW(Plate)	0643000415
37			LSV-P1HW(Plate)	0643001215
38			LSV-PSHW(Plate)	0643001315
39		LSV-OM	LSV-OM3P2W16(Socket_Module)	0643000515
40			LSV-OM3P1W16(Socket_Module)	0643001715
41			LSV-OM2P1W16(Socket_Module)	0643000615
42		LSV-OC	LSV-OC2P2W16(Socket_Module)	0643001415
43			LSV-OC3P1W16(Socket_Module)	0643001515
44			LSV-OC3P1W16S(Socket_Module)	0643001615
45		LSV-OS	LSV-OSUW(Socket_Shaving)	0643000715
46		LSV-OF	LSV-OFUW(Socket_Floor)	0643000915
47			LSV-OFUW(Socket_Floor+2 gang 6 pole module)	0643001015

Note1) 1/2 Blank module

No.	Products	Type	Description	Code
48	Communication (Jack / CATV)	LSV-CB	LSV-CBPW(Communication)	0644000115
49			LSV-CBTW(Communication)	0644000215
50			LSV-CBNW(Communication)	0644000315
51			LSV-CBTPW(Communication)	0644000415
52			LSV-CBTNW(Communication)	0644000515
53			LSV-CBPNW(Communication)	0644000615
54			LSV-CBNNW(Communication)	0644001315
55			LSV-CBTNPW(Communication)	0644000715
56		LSV-CM	LSV-CMPW(Comm_Module)	0644000915
57			LSV-CMTW(Comm_Module)	0644001015
58			LSV-CMNW(Comm_Module)	0644001115
59			LSV-CMBW(Comm_Module) Note.2	0644001215
60		LSV-CC	LSV-CCPWQ(Comm_Complete)	0644001815
61			LSV-CCTWQ(Comm_Complete)	0644001915
62			LSV-CCNWQ(Comm_Complete)	0644002015
63			LSV-CCSWQ(Comm_Complete)	0644001915
64	Water proof	LSV-WP	LSV-WPCW(Water proof)	0645000115
65	Door bell	LSV-DB	LSV-DBUW(Door Bell)	0646000115
66			LSV-DBUWQ(Door Bell)	0646000315

Note2) 1/3 Blank module






LSLB (Distribution boards)

Compact series


- Rated operational voltage(U_e) : AC500V
- Rated insulation voltage(U_i) : AC230/400V
- Rated frequency : 50/60Hz
- Rated implus withstand voltage(U_{imp}) : 2.5kV/1min
- Rated current (I_n) : Up to 125A

Size $\leq 80m^2$

Case1



Case2






LSLB (Distribution boards) Pretty series


- Rated operational voltage(U_e) : AC500V
- Rated insulation voltage(U_i) : AC230/400V
- Rated frequency : 50/60Hz
- Rated implus withstand voltage(U_{imp}) : 2.5kV/1min
- Rated current (I_n) : Up to 125A

Size 80~160m²

Case1




Case2



Dimension

LSLB (Compact series)

(Size ≤80m²)



Internal type

Unit (mm)

Type	Row	Number of branch circuits	Dimension [Compact series]					
			a	b	c	e	f	g
LSLB1-09	1	9	240	200	199±0.1	217	180	75
LSLB1-12	1	12	295	230	254±0.1	270	210	75
LSLB1-16	1	16	366	230	325±0.1	340	210	75
LSLB1-20	1	20	438	230	397±0.1	413	210	75
LSLB1-24	2	24	295	460	254±0.1	270	440	75
LSLB1-32	2	32	366	460	325±0.1	340	440	75
LSLB1-36	3	36	295	690	254±0.1	270	670	75
LSLB1-40	2	40	438	460	397±0.1	413	440	75
LSLB1-48	3	48	366	690	325±0.1	340	670	75
LSLB1-60	3	60	438	690	397±0.1	413	670	75


External type

Unit (mm)

Type	Row	Number of branch circuits	Dimension [Compact series]					
			a	b	c	e	f	g
LSLB1-09	1	9	240	200	199±0.1	240	200	75
LSLB1-12	1	12	295	230	254±0.1	295	230	75
LSLB1-16	1	16	366	230	325±0.1	366	230	75
LSLB1-20	1	20	438	230	397±0.1	438	230	75
LSLB1-24	2	24	295	460	254±0.1	295	460	75
LSLB1-32	2	32	366	460	325±0.1	366	460	75
LSLB1-36	3	36	295	690	254±0.1	295	690	75
LSLB1-40	2	40	438	460	397±0.1	438	460	75
LSLB1-48	3	48	366	690	325±0.1	366	690	75
LSLB1-60	3	60	438	690	397±0.1	438	690	75

LSLB (Pretty series)

(Size 80~160m²)



Internal type

Unit (mm)

Type	Row	Number of branch circuits	Dimension (Pretty series)					
			a	b	c	e	f	g
LSLB2-09	1	9	269	213	228±0.1	243	191	80
LSLB2-12	1	12	322	213	281±0.1	297	191	80
LSLB2-16	1	16	395	213	354±0.1	369	191	80
LSLB2-20	1	20	468	213	427±0.1	441	191	80
LSLB2-24	2	24	322	426	281±0.1	297	406	80
LSLB2-32	2	32	395	426	354±0.1	369	406	80
LSLB2-40	2	40	468	426	427±0.1	441	406	80
LSLB2-48	3	48	395	639	354±0.1	369	619	80
LSLB2-60	3	60	468	639	427±0.1	441	619	80

External type

Unit (mm)

Type	Row	Number of branch circuits	Dimension (Pretty series)					
			a	b	c	e	f	g
LSLB2-09	1	9	269	213	228±0.1	269	213	80
LSLB2-12	1	12	322	213	281±0.1	322	213	80
LSLB2-16	1	16	395	213	354±0.1	395	213	80
LSLB2-20	1	20	468	213	427±0.1	468	213	80
LSLB2-24	2	24	322	426	281±0.1	322	426	80
LSLB2-32	2	32	395	426	354±0.1	395	426	80
LSLB2-40	2	40	468	426	427±0.1	468	426	80
LSLB2-48	3	48	395	619	354±0.1	395	619	80
LSLB2-60	3	60	468	639	427±0.1	468	619	80

Order code



No.	Products	Type	Description	Code
43	Distribution boards (Compact)	LSLB1	LSLB1-09A	0664000115
44			LSLB1-12A	0664000215
45			LSLB1-16A	0664000315
46			LSLB1-20A	0664000415
47			LSLB1-24A	0664000515
48			LSLB1-32A	0664000615
49			LSLB1-36A	0664000715
50			LSLB1-40A	0664000815
51			LSLB1-48A	0664000915
52			LSLB1-60A	0664001015
53			LSLB1-09AB	0664001115
54			LSLB1-12AB	0664001215
55			LSLB1-16AB	0664001315
56			LSLB1-20AB	0664001415
57			LSLB1-24AB	0664001515
58			LSLB1-32AB	0664001615
59			LSLB1-36AB	0664001715
60			LSLB1-40AB	0664001815
61			LSLB1-48AB	0664001915
62			LSLB1-60AB	0664002015
63			LSLB1-09AM	0664002115
64			LSLB1-12AM	0664002215
65			LSLB1-16AM	0664002315
66			LSLB1-20AM	0664002415
67			LSLB1-24AM	0664002515
68			LSLB1-32AM	0664002615
69			LSLB1-36AM	0664002715
70			LSLB1-40AM	0664002815
71			LSLB1-48AM	0664002915
72			LSLB1-60AM	0664003015
73			LSLB1-09ABM	0664003115
74			LSLB1-12ABM	0664003215
75			LSLB1-16ABM	0664003315
76			LSLB1-20ABM	0664003415
77			LSLB1-24ABM	0664003515
78			LSLB1-32ABM	0664003615
79			LSLB1-36ABM	0664003715
80			LSLB1-40ABM	0664003815
81			LSLB1-48ABM	0664003915
82			LSLB1-60ABM	0664004015
83	Distribution boards (Pretty)	LSLB2	LSLB2-09A	0665000115
84			LSLB2-12A	0665000215
85			LSLB2-16A	0665000315
86			LSLB2-20A	0665000415
87			LSLB2-24A	0665000515
88			LSLB2-32A	0665000615
89			LSLB2-40A	0665000715
90			LSLB2-48A	0665000815
91			LSLB2-60A	0665000915

No.	Products	Type	Description	Code
92	Distribution boards (Pretty)	LSLB2	LSLB2-09AB	0665001015
93			LSLB2-12AB	0665001115
94			LSLB2-16AB	0665001215
95			LSLB2-20AB	0665001315
96			LSLB2-24AB	0665001415
97			LSLB2-32AB	0665001515
98			LSLB2-40AB	0665001615
99			LSLB2-48AB	0665001715
100			LSLB2-60AB	0665001815
101			LSLB2-09AM	0665001915
102			LSLB2-12AM	0665002015
103			LSLB2-16AM	0665002115
104			LSLB2-20AM	0665002215
105			LSLB2-24AM	0665002315
106			LSLB2-32AM	0665002415
107			LSLB2-40AM	0665002515
108			LSLB2-48AM	0665002615
109			LSLB2-60AM	0665002715
110			LSLB2-09ABM	0665002815
111			LSLB2-12ABM	0665002915
112			LSLB2-16ABM	0665003015
113			LSLB2-20ABM	0665003115
114			LSLB2-24ABM	0665003215
115			LSLB2-32ABM	0665003315
116			LSLB2-40ABM	0665003415
117			LSLB2-48ABM	0665003515
118			LSLB2-60ABM	0665003615





Safety Instructions

- For your safety, please read user's manual thoroughly before operating.
- Contact the nearest authorized service facility for examination, repair, or adjustment.
- Please contact qualified service technician when you need maintenance.
Do not disassemble or repair by yourself!
- Any maintenance and inspection shall be performed by the personnel having expertise concerned.



www.lsis.com

■ Head Quarter

LS-ro 127(Hogye-dong) Dongan-gu, Anyang-si, Gyeonggi-Do, 14119, Korea
Tel: 82-2-2034-4902, 4684, 4429 Fax: 82-2-2034-4555

■ Overseas Subsidiaries

- **LSIS(Dalian) Co., Ltd. (Dalian, China)**
Tel: 86-411-8730-7510 Fax: 86-411-8730-7560 E-Mail: jiheo@lsis.com
- **LSIS(Wuxi) Co., Ltd. (Wuxi, China)**
Tel: 86-510-8534-6666-8005 Fax: 86-510-8534-4078 E-Mail: sunhwank@lsis.com
- **LS VINA Industrial Systems Co., Ltd. (Hanoi, Vietnam)**
Tel: 84-24-3882-0222 Fax: 84-24-3882-0220 E-Mail: jhchoi4@lsis.com
- **LSIS Middle East FZE (Dubai, U.A.E.)**
Tel: 971-4-886-5360 Fax: 971-4-886-5361 E-Mail: hschoib@lsis.com
- **LSIS Europe B.V. (Amsterdam, Netherlands)**
Tel: 31-20-654-1420 Fax: 31-20-654-1429 E-Mail: htha@lsis.com
- **LSIS Japan Co., Ltd. (Tokyo, Japan)**
Tel: 81-3-6268-8241 Fax: 81-3-6268-8240 E-Mail: jschuna@lsis.com
- **LSIS USA Inc. (Chicago, U.S.A.)**
Tel: 1-800-891-2941 Fax: 1-847-383-6543 E-Mail: sales.us@lsis.com

■ Overseas Branches

- **LSIS Shanghai Office (China)**
Tel: 86-21-5237-9977 Fax: 86-21-5237-7189 E-Mail: ygeo@lsis.com
- **LSIS Beijing Office (China)**
Tel: 86-10-5761-3127 Fax: 86-10-5761-3128 E-Mail: sson@lsis.com
- **LSIS Guangzhou Office (China)**
Tel: 86-20-8326-6784 Fax: 86-20-8326-6287 E-Mail: sojhtroh@lsis.com
- **LSIS Qingdao Office (China)**
Tel: 86-532-8501-6058 Fax: 86-532-8501-6057 E-Mail: sson@lsis.com
- **LSIS Chengdu Office (China)**
Tel: 86-28-8670-3200 Fax: 86-28-8670-3203 E-Mail: yangcf@lsis.com
- **LSIS ShenYang Office (China)**
Tel: 86-24-2321-9050 Fax: 86-24-8386-7210 E-Mail: yangcf@lsis.com
- **LSIS Jinan Office (China)**
Tel: 86-531-8699-7826 Fax: 86-531-8697-7628 E-Mail: yangcf@lsis.com
- **LSIS Co., Ltd. Tokyo Office (Japan)**
Tel: 81-3-6268-8241 Fax: 81-3-6268-8240 E-Mail: jschuna@lsis.com
- **LSIS Co., Ltd. Rep. Office (Vietnam)**
Tel: 84-28-3823-7890 E-Mail: sjbaik@lsis.com
- **LSIS Moscow Office (Russia)**
Tel: 7-499-682-6130 E-Mail: jdpark1@lsis.com
- **LSIS Jakarta Office (Indonesia)**
Tel: 62-21-2933-7614 E-Mail: diogh@lsis.com
- **LSIS Bangkok Office (Thailand)**
Tel: 66-90-950-9683 E-Mail: sjleet@lsis.com



Technical Question or After-sales Service

Customer Center-Quick Responsive
Service, Excellent technical support

82-1644-5481